L Number	Hits	Search Text	DB	Time stamp
-	4622	370/230,235,238,238.1,389,392,394,395.31,395.ccls.	USPAT; US-PGPUB	2003/12/03 10:35
-	27	370/230,235,238,238.1,389,392,394,395.31,395.ccls. and hash$4 and table and port and optical and exchange	USPAT; US-PGPUB	2003/12/03 10:40
-	0	switch and optical and exchange and originator adj exchange adj field	USPAT; US-PGPUB	2003/12/03 10:41
-	13	switch and optical and exchange and originator adj exchange	USPAT; US-PGPUB	2003/12/03 10:41
-	56	RAID and (fiber or fibre) adj channel and (hash$4 same table)	USPAT; US-PGPUB	2003/12/03 10:47
-	20	RAID and (fiber or fibre) adj channel and (hash$4 same table) and switch and exchange	USPAT; US-PGPUB	2003/12/03 10:47
-	296	sts adj "1" and ds3	USPAT; US-PGPUB	2003/12/03 14:29
-	187	sts adj "1" same ds3	USPAT; US-PGPUB	2003/12/03 14:29
-	95	sts adj "1" same ds3 and sts adj "1" same format	USPAT; US-PGPUB	2003/12/03 14:30
-	88	sts adj "1" same ds1 and sts adj "1" same format	USPAT; US-PGPUB	2003/12/03 14:34
-	51	sts adj "1" same (ATM or cell) and sts adj "1" same format	USPAT; US-PGPUB	2003/12/03 15:07
-	0	original adj exchange adj ident$9	USPAT; US-PGPUB	2003/12/03 15:07
-	14	originator adj exchange adj ident$9	USPAT; US-PGPUB	2003/12/03 15:08
-	214	hash$4 same "d_id"	USPAT; US-PGPUB	2003/12/03 15:09
-	4	hash$4 same d adj id	USPAT; US-PGPUB	2003/12/03 15:10
-	72	hash$4 same "D_ID" and optical	USPAT; US-PGPUB	2003/12/03 15:12
-	1774	(distribut$4 near2 (traffic or load)) same (link or path)	USPAT; US-PGPUB	2003/12/03 15:13
-	280	((distribut$4 near2 (traffic or load)) same (link or path)) and switch same port	USPAT; US-PGPUB	2003/12/03 15:14
-	15	(((distribut$4 near2 (traffic or load)) same (link or path)) and switch same port) and fibre adj channel	USPAT; US-PGPUB	2003/12/03 15:14
-	4	((((distribut$4 near2 (traffic or load)) same (link or path)) and switch same port) and fibre adj channel) and (rout$4 or forward$4) near2 table same switch	USPAT; US-PGPUB	2003/12/03 15:14
-	7	((((distribut$4 near2 (traffic or load)) same (link or path)) and switch same port) and fibre adj channel) and (rout$4 or forward$4) near2 table	USPAT; US-PGPUB	2003/12/03 15:16

C:\APPS\EAST\Workspaces\09_600000+\09669396.wsp

-	1	(((distribut$4 near2 (traffic or load)) same (link or path)) and switch same port) and fibre adj channel) and (rout$4 or forward$4) near2 table and hash$4	USPAT; US-PGPUB	2003/12/03 15:21
-	5	N adj port and OX adj id and hash$4 same table	USPAT; US-PGPUB	2003/12/03 15:21
-	6	N adj port and OX adj id and hash$4 and table	USPAT; US-PGPUB	2003/12/03 15:22
-	40	N adj port and (hash or hashing) and table	USPAT; US-PGPUB	2003/12/03 15:28
-	153	originator same exchange same (path or rout$4 or link$4)	USPAT; US-PGPUB	2003/12/03 15:41
-	158	exchange and out adj order and originator	USPAT; US-PGPUB	2003/12/03 15:42
-	67	(exchange and out adj order and originator) and switch same port	USPAT; US-PGPUB	2003/12/03 15:43
-	31	((exchange and out adj order and originator) and switch same port) and hash$4 same table	USPAT; US-PGPUB	2003/12/03 15:46
-	11	overlap$5 adj exchange	USPAT; US-PGPUB	2003/12/03 15:52
-	148	table and hash$4 same (destination adj (address or id or identifier or identification)) same (source or originator) adj (address or id or identifier or identification)	USPAT; US-PGPUB	2003/12/03 15:58
-	5	(table and hash$4 same (destination adj (address or id or identifier or identification)) same (source or originator) adj (address or id or identifier or identification)) and fib$3 adj channel	USPAT; US-PGPUB	2003/12/03 15:54
-	58	(table and hash$4 same (destination adj (address or id or identifier or identification)) same (source or originator) adj (address or id or identifier or identification)) and (sonet or fiber or fibre)	USPAT; US-PGPUB	2003/12/03 16:03
-	4	table same originator adj3 id same destination adj3 id	USPAT; US-PGPUB	2003/12/03 16:12
-	25	("5519695" | "5533026" | "5610745" | "5655153" | "5748612" | "5805920" | "5805924" | "5828475" | "5831985" | "5845149" | "5872822" | "5890011" | "5959994" | "6009476" | "6014370" | "6014383" | "6014715" | "6067581" | "6105122" | "6118776" | "6175917" | "6185203" | "6226751" | "6243815" | "6304906").PN.	USPAT	2003/12/03 16:04
-	1	table same originator adj3 id same destination adj3 id and hash$4	USPAT; US-PGPUB	2003/12/03 16:13
-	1	table same (originator or source) adj3 id same destination adj3 id same hash$4	USPAT; US-PGPUB	2003/12/03 16:14
-	15	hashing adj function and fibre adj channel	USPAT; US-PGPUB	2003/12/03 16:15

C:\APPS\EAST\Workspaces\09_600000+\09669396.wsp

-	33	fibre adj channel same (path or route) near2 select$4	USPAT; US-PGPUB	2003/12/08 09:46
-	99	fibre adj channel same (path or route or load) near2 (determin$4 or balanc$4 or select$4)	USPAT; US-PGPUB	2003/12/08 09:53
-	66	(fibre adj channel same (path or route or load) near2 (determin$4 or balanc$4 or select$4)) not (fibre adj channel same (path or route) near2 select$4)	USPAT; US-PGPUB	2003/12/08 09:50
-	27	fibre adj channel same (path or route or load) near2 (determin$4 or balanc$4 or select$4) and rout$4 near table	USPAT; US-PGPUB	2003/12/08 10:17
-	1	5592472.pn.	USPAT; US-PGPUB	2003/12/08 10:18
-	31	(overlap$4 or different) near2 exchange and fibre adj channel	USPAT; US-PGPUB	2003/12/08 10:21
-	59	originator adj3 (id or ident$9) and fibre adj channel	USPAT; US-PGPUB	2003/12/08 11:59
-	113	switch$4 same fibre adj channel and rout$4 adj table	USPAT; US-PGPUB	2003/12/08 13:09
-	12	switch$4 same fibre adj channel and rout$4 adj table and hash$4 same table	USPAT; US-PGPUB	2003/12/08 12:03
-	8	(switch$4 same fibre adj channel and rout$4 adj table and hash$4 same table) and load near2 balanc$4	USPAT; US-PGPUB	2003/12/08 12:05
-	139	hash$4 same (originator or ox or x) same (destination or d)	USPAT; US-PGPUB	2003/12/08 12:07
-	1	(hash$4 same (originator or ox or x) same (destination or d)) and fibre adj channel	USPAT; US-PGPUB	2003/12/08 12:49
-	144	(overlap$4 or interleav$4) near2 exchange	USPAT; US-PGPUB	2003/12/08 12:50
-	2	((overlap$4 or interleav$4) near2 exchange) and fibre adj channel	USPAT; US-PGPUB	2003/12/08 12:51
-	26	hash$4 with table and switch and f adj port	USPAT; US-PGPUB	2003/12/08 12:55
-	19	((switch$4 or rout$4) and (path or rout$4) near2 select$4).ab. and fibre adj channel	USPAT; US-PGPUB	2003/12/08 13:01
-	379	fibre adj channel adj switch$4	USPAT; US-PGPUB	2003/12/08 13:02
-	14	(fibre adj channel adj switch$4) and hash$4 same table	USPAT; US-PGPUB	2003/12/08 13:02
-	50	fc adj sw	USPAT; US-PGPUB	2003/12/08 13:15
-	455	fibre adj channel adj2 switch$4	USPAT; US-PGPUB	2003/12/08 13:15
-	37	(fibre adj channel adj2 switch$4) and hash$4 and table	USPAT; US-PGPUB	2003/12/08 13:16
-	61	(fibre adj channel adj2 switch$4) and table and (path or rout$4) near2 select$4	USPAT; US-PGPUB	2003/12/08 13:17
-	47	((fibre adj channel adj2 switch$4) and table and (path or rout$4) near2 select$4) not ((fibre adj channel adj2 switch$4) and hash$4 and table)	USPAT; US-PGPUB	2003/12/08 13:28

C:\APPS\EAST\Workspaces\09_600000+\09669396.wsp

-	12	hash$4 same originator same destination	USPAT; US-PGPUB	2003/12/08 13:30
-	1572	hash$4 same (source or originat$4 or ox or x or s) same (end or receiv$4 or destination or d)	USPAT; US-PGPUB	2003/12/08 13:31
-	28	(hash$4 same (source or originat$4 or ox or x or s) same (end or receiv$4 or destination or d)) and fibre adj channel	USPAT; US-PGPUB	2003/12/08 13:31
-	0	fibre adj channel and switch$4 same distrubut$4 near4 (traffic or load)	USPAT; US-PGPUB	2003/12/08 15:32
-	149	fibre adj channel and switch$4 same balanc$4 near4 (traffic or load)	USPAT; US-PGPUB	2003/12/08 15:32
-	34	(fibre adj channel and switch$4 same balanc$4 near4 (traffic or load)) and hash$4 and table	USPAT; US-PGPUB	2003/12/08 15:32
-	101	hash$4 same table and fibre adj channel	USPAT; US-PGPUB	2003/12/09 09:41
-	5	hash$4 same rout$4 near2 table and fibre adj channel	USPAT; US-PGPUB	2003/12/09 09:52
-	29	hash$4 and rout$4 near2 table and fibre adj channel	USPAT; US-PGPUB	2003/12/09 09:52
-	24	(hash$4 and rout$4 near2 table and fibre adj channel) not (hash$4 same rout$4 near2 table and fibre adj channel)	USPAT; US-PGPUB	2003/12/09 10:00
-	21110	hash$4 same3 ((ox or x or originator) adj (id of ident$9))	USPAT; US-PGPUB	2003/12/09 10:02
-	24615	hash$4 same3 ((ox or x or originator) adj2 (id or ident$9))	USPAT; US-PGPUB	2003/12/09 10:02
-	41	hash$4 same ((ox or x or originator) adj2 (id or ident$9))	USPAT; US-PGPUB	2003/12/09 10:03
-	18925	hash$4 same3 ((ox or x or originator) adj2 (id or ident$9)) and fibre adj channel	USPAT; US-PGPUB	2003/12/09 10:04
-	18922	hash$4 same3 ((ox or x or originator) adj2 (id or identif$7)) and fibre adj channel	USPAT; US-PGPUB	2003/12/09 10:05
-	2	hash$4 same ((ox or x or originator) adj2 (id or identif$7)) and fibre adj channel	USPAT; US-PGPUB	2003/12/09 10:06
-	2	hash$4 same ((ox or x or originator) adj2 (id or identifier)) and fibre adj channel	USPAT; US-PGPUB	2003/12/09 10:07
-	18913	hash$4 same3 ((ox or x or originator) adj2 (id or identifier)) and fibre adj channel	USPAT; US-PGPUB	2003/12/09 10:07
-	18914	hash$4 same2 ((ox or x or originator) adj2 (id or identifier)) and fibre adj channel	USPAT; US-PGPUB	2003/12/09 10:08
-	14	hash$4 and ((ox or x or originator) adj2 (id or identifier)) and (destination or d) adj (id or identifier) and fibre adj channel	USPAT; US-PGPUB	2003/12/09 12:22
-	2	hash$4 same ((ox or x or originator) adj2 (id or identifier)) and fibre adj channel	USPAT; US-PGPUB	2003/12/09 10:09
-	427	hash$4 same source same destination	USPAT; US-PGPUB	2003/12/09 10:32
-	14	(hash$4 same source same destination) and fibre adj channel	USPAT; US-PGPUB	2003/12/09 10:34
-	148	711/216.ccls. and hash$4	USPAT; US-PGPUB	2003/12/09 10:34

C:\APPS\EAST\Workspaces\09_600000+\09669396.wsp

-	178	711/216.ccls.	USPAT; US-PGPUB	2003/12/09 10:34
-	2	(711/216.ccls. and hash$4) and fibre adj channel	USPAT; US-PGPUB	2003/12/09 10:34
-	17	hash$4 and ((ox or x or originator or source) adj2 (id or identifier)) and (destination or d) adj (id or identifier) and fibre adj channel	USPAT; US-PGPUB	2003/12/09 12:22

C:\APPS\EAST\Workspaces\09_600000+\09669396.wsp